DuPont™ RelyOn™ Multi-Purpose Disinfectant Cleaner

BROAD SPECTRUM DISINFECTANT

Virucidal, Bactericidal, Germicidal, Fungicidal
Compliant with OSHA bloodbourne pathogen standard
Cleans and disinfects in one step
Compatible with most hard non-porous surfaces
Safe for most surfaces upon incidental contact

ACTIVE INGREDIENTS
Potassium peroxymonosulfate 21.41%
Sodium chloride 1.50%
INERT INGREDIENTS 77.09%
TOTAL 100.00%
Equivalent to 9.75% Available Chlorine

KEEP OUT OF REACH OF CHILDREN

DANGER/PELIGRO

TABLET FORM

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present after 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for further treatment advice.

IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for further treatment advice.

IF SWALLOWED: Call Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Powder is corrosive. Causes skin burns and irreversible eye damage. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing. Wear protective clothing and rubber gloves. Wear goggles, face shield, or safety glasses. Wash hands thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Corrosive statement does not refer to 1% in-use solution.

STORAGE AND DISPOSAL

Store in a cool dry place in tightly closed container. Keep out of reach of children. Always replace lid after use. Retain dessicant cannister with product during storage. Wash empty container thoroughly and dispose of in trash. Do not mix this product with other chemicals.

FOR USE IN:

Cleaning and disinfecting hard, non-porous surfaces in institutional, commercial, residential and public service facilities including hospitals and nursing homes; field medical units, medical and dental offices; clinics and other health-care facilities; Emergency Medical Services (EMS) facilities, equipment and gear including respirators; laboratories; food processing plants, equipment and warehouses; food service and preparation areas including commercial and institutional kitchens, restaurants and cafeterias; restrooms and portable restrooms; retail stores including supermarkets, florists, barbers and beauty salons; factories; schools and daycare centers; hotels; offices; correctional facilities; funeral parlors and mortuaries; gymnasiums, stadiums and health spas; transportation terminals and vehicles including ships, automobiles, trucks and trains, and homes and residences.

EFFECTIVE AGAINST A WIDE RANGE OF VIRUSES*, BACTERIA AND FUNGI:

* Hepatitis A Virus (HAV), Hepatitis B Virus (HBV), Hepatitis C Virus (HCV), and HIV (Human Immunodeficiency Virus (HIV-1)) (AIDS Virus), Influenza A Virus, Respiratory Syncytial Virus (RSV), Norovirus (Norwalk-like Viruses)

Bacillus cereus, Campylobacter jejuni, Chlamydia psittaci, Clostridium perfringens, Listeria monocytogenes, Shigella sonnei, Streptococcus pyogenes, Helicobacter pylori, Klebsiella pneumoniae, Escherichia coli 0157:H7, Escherichia coli, Salmonella typhimurium, Salmonella choleraesuis, Pseudomonas aeruginosa, Staphylococcus aureus, Staphylococcus epidermidis, Methicillin-Resistant Staphylococcus aureus (MRSA), Vancomycin-Resistant Enterococcus faecalis, (VRE), Candida albicans, and Trichophyton mentagrophytes

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

INSTITUTIONAL, FOOD PROCESSING, AND PUBLIC SERVICE FACILITIES:

With DuPont™ RelyOn™ Multi-Purpose Disinfectant Cleaner only one product is needed to clean and disinfect.

Do Not Use DuPont™ RelyOn™ Multi-Purpose Disinfectant Cleaner on acid-sensitive surfaces such as marble or soft metals such as copper, brass, or certain grades of aluminum. Avoid splashing DuPont™ RelyOn™ Multi-Purpose Disinfectant Cleaner solution on textiles or carpets. End user should assure compatibility of all critical materials that may be contacted by DuPont™ RelyOn™ Multi Purpose Disinfectant Cleaner. Cleaning Procedure: Remove gross dirt and prepare a 1.0% solution according to the table below. Apply to surface using a sponge, brush, or spray device, scrubbing as necessary until the surface is visibly clean. Rinse.

CLEANING AND DISINFECTING HARD NON-POROUS FOOD CONTACT SURFACES: Remove gross dirt and prepare 1.0% solution according to the table below. Apply to surface using a sponge, brush, or spray device until the surface is visibly clean. Let stand for 10 minutes and rinse with potable water.

CLEANING AND DISINFECTING HARD NON-POROUS NON-FOOD CONTACT SURFACES: Remove gross dirt and use 1.0% DuPont™ RelyOn™ Multi-Purpose Disinfectant Cleaner solution prepared according to the table below. Apply to surface using a mop, sponge, brushes or spray device until the surface is visibly clean. Let stand 10 minutes and air dry. In cases of fungal contamination of non-food contact surfaces, follow these instructions substituting a 2.0% DuPont™ RelyOn™ Multi-Purpose Disinfectant Cleaner solution.

This product is not to be used on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body.

CLEANING AND DISINFECTING MANIKINS USED IN CPR TRAINING: Sanitizing manikins between students:

Prepare a 3% solution of DuPont™ RelyOn™ Multi-Purpose Disinfectant Cleaner (according to dilution chart) by dissolving 3 tables (5gm each) of DuPont™ RelyOn™ Multi-Purpose Disinfectant Cleaner in one pint (16 oz) water or by dissolving 1 tablet (5 gm) of DuPont™ RelyOn™ Multi-Purpose Disinfectant Cleaner in premarked 5.3 oz spray bottle that has been filled to line with water. Thoroughly spray the manikin surface (mouth and nose area) or wipe with a cloth saturated with 3% solution until fully wetted. Allow surface to remain visibly wet for a minimum of 30 seconds, and wipe with a disposable cloth until dry. Rinse surface with potable water.

CRISIS SCENE DISINFECTION OF HARD NON-POROUS SURFACES:

For bacterial and viral* control: Streptococcus pyogenes, Helicobacter pylori, Klebsiella pneumoniae, Escherichia coli, Salmonella typhimurium, Salmonella choleraesuis, Pseudomonas aeruginosa, Staphylococcus aureus, Methicillin-Resistant Staphylococcus aureus (MRSA), Vancomycin-Resistant Enterococcus faecalis, (VRE) , and Staphylococcus epidermidis.

*Hepatitis A Virus (HAV), Hepatitis B Virus (HBV), Hepatitis C Virus (HCV), and HIV (Human Immunodeficiency Virus (HIV-1) (AIDS virus), Influenza A, Respiratory Syncytial Virus (RSV), Norovirus (Norwalk-like viruses)

For a 1% solution from tablet: Remove gross dirt. Fill container with required amount of water and add one 5gm (0.18 oz) DuPont™ RelyOn™ Multi-Purpose Disinfectant Cleaner tablet per pint of water. Cap container and gently shake until tablet is dissolve. Apply solution to surface using a sponge, brush, or spray device until the surface is visibly wet. Let stand for 10 minutes and air dry.

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST *HIV-1, HEPATITIS B (HBV), AND HEPATITIS C (HCV) ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

*Kills HIV-1, HAV, HBV, and HCV on pre-cleaned environmental surfaces/objects previously soiled with blood/body fluids in health care settings (Hospitals, Nursing Homes, etc.) or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS), Hepatitis B Virus (HBV) and Hepatitis C Virus (HCV).

PERSONAL PROTECTION: When handling items soiled with blood or body fluids use disposable latex gloves, gowns, masks, or eye coverings.

CLEANING PROCEDURES: Blood and other body fluids must be thoroughly cleaned from surfaces and objects using a cleaner (such as DuPont™ RelyOn™ Multi-Purpose Disinfectant Cleaner) before application of this product as a disinfectant (see previous label instructions for use of DuPont™ RelyOn™ Multi-Purpose Disinfectant Cleaner as cleaner)

CONTACT TIME: Allow surface to remain wet for 10 minutes.

DISPOSAL OF INFECTIOUS MATERIALS: Blood and other body fluids should be autoclaved and disposed of according to local regulations for infectious waste disposal.

Net Contents: refer to container label

Choose a delivery option from the list below		**Add the following amount of DuPont™ RelyOn™ Multi-Purpose Disinfectant Cleaner to the designated volume of water**					
		1%					
DuPont™ RelyOn™ Multi-Purpose Disinfectant Cleaner		**16 oz. (Pint)**	**32 oz. (Quart)**	**128 oz. (Gallon)**	**160 oz (5 Quarts)**	**640 oz (5 Gallons)**	
Metric	Standard						
5 g Tablet	0.18 oz Tablet	1 Tablet	2 Tablets	8 Tablets	10 Tablets	40 Tablets	
40 g Sachet	1.44 oz Sachet			1 Sachet		5 Sachets	
50 g Sachet	1.8 oz Sachet				1 Sachet	4 Sachets	
500 g Shaker Bottle	17.6 oz Shaker Bottle	1 tsp	2 tsp	8 tsp	10 tsp	40 tsp	
5 kg Bucket	176 oz Bucket	1 tsp	2 tsp	8 tsp	10 tsp	40 tsp	
		2%					
5 g Tablet	0.18 oz Tablet	2 Tablets	4 Tablets	16 Tablets	20 Tablets	80 Tablets	
40 g Sachet*	1.44 oz Sachet			2 Sachets		10 Sachets	
50 g Sachet	1.8 oz Sachet				2 Sachets	8 Sachets	
500 g Shaker Bottle	17.6 oz Shaker Bottle	2 tsp	4 tsp	16 tsp (1/3 cup)	20 tsp	1-2/3 cups	
5 kg Bucket	176 oz Bucket	2 tsp	4 tsp	16 tsp (1/3 cup)	20 tsp	1-2/3 cups	
		3%					
		170 ml (5.75 oz)	**16 oz. (Pint)**	**32 oz. (Quart)**	**128 oz. (Gallon)**	**160 oz. (5 Quarts)**	**640 oz. (5 Gallon)**
5 g Tablet	0.18 oz Tablet	1 Tablet	3 Tablets	6 Tablets	24 Tablets	30 Tablets	120 Tablets
40 g Sachet*	40 g Sachet*				3 Sachets		15 Sachets
50 g Sachet	50 g Sachet					3 Sachets	12 Sachets
500 g Shaker Bottle	500 g Shaker Bottle		1 Tbsp	2 Tbsp	0.5 cups	10 Tbsp	2-1/2 cups
5 kg Bucket	5 kg Bucket		1 Tbsp	2 Tbsp	0.5 cups	10 Tbsp	2-1/2 cups

tsp = teaspoon
Tbsp = tablespoonFor

Disinfecting use a rate of 7.5 gallons/ 1,000 sq. ft.
For Cleaning and Disinfecting use a rate of 15 gallons/ 1,000 sq. ft.

For Disinfecting use a rate of 7.5 gallons/ 1,000 sq. ft.
For Cleaning and Disinfecting use a rate of 15 gallons/ 1,000 sq. ft.

Manufactured for:
E.I. du Pont de Nemours and Company
1007 Market Street
Wilmington, DE 19898

Questions? Call 1-800-441-7515

EPA Reg. No.71654-7
EPA Est. No. 62432-EN-001
CN-21570 – tab insert 090804
P936REL2/RelyOnT/IFU/Dupont,USA/11.05/K

The DuPont Oval Logo, DuPont™ and The miracles of science™ are trademarks or registered trademarks of DuPont or its affiliates.