



SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION:

MANUFACTURER Burke Industrial Coatings
11400 WEST 47TH STREET,
MINNETONKA, MN 55343

INFORMATION PHONE: 952-938-7223

For Medical and Chemical Emergencies CHEMTREC 1-800-424-9300

PRODUCT NAME: All Purpose Cleaner
PRODUCT NUMBER: 80-4000
DATE PREPARED: 05/29/19
LAST REVISION: 05/29/2019

USES: All Purpose Cleaner for non- porous surfaces

Use Restrictions: None Known



PURE: LIQUID: X

<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>

SYNONYMS: All Purpose Cleaner - Degreaser

2. HAZARDOUS IDENTIFICATION:

EMERGENCY OVERVIEW: Corrosive

MIXTURE: X

SOLID:

GHS CLASSIFICATION: Skin: (Category 2) Eyes: (Category 2A) Acute Toxicity Oral: (Category 5)

GHS Label elements, including precautionary statements

SIGNAL WORD: Warning **PICTOGRAM:**



HAZARD STATEMENT(S):

- H303: May be harmful if swallowed
- H315: Causes skin irritation
- H319: Causes serious eye irritation
- H333: May be harmful if inhaled

PRECAUTIONARY STATEMENT(S):

- P262 Do not get in eyes, on skin, or on clothing.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
- P303+P361+P353: IF ON SKIN (or hair): Remove/Take off Immediately all contaminated clothing. Rinse SKIN with water/shower.
- P304+P340: IF INHALED: Remove victim to fresh air and Keep at rest in a position comfortable for breathing.
- P305 +P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P333+P313: IF SKIN irritation or rash occurs: Get medical advice/attention.
- P337+P313: IF eye irritation persists: Get medical advice/attention.

POTENTIAL HEALTH EFFECTS

- EYE CONTACT:** Can cause severe eye irritation
- INHALATION:** Irritating to the nose, throat, and respiratory tract.

INGESTION: Swallowing the liquid can be irritating to the gastrointestinal tract.

SKIN CONTACT: May cause irritation.

SIGNS AND SYMPTOMS OF EXPOSURE: Irritation, pain, coughing, redness of skin.

3. COMPOSITION/INFORMATION ON INGREDIENTS:

Chemical Name	CAS #	Range Wt
SODIUM HYDROXIDE	1310732	1 - 2%
2-BUTOXY ETHANOL	111762	3 - 6 %
ETHANOLAMINE	141435	1 - 3 %

4. FIRST AID MEASURES:

EYE CONTACT: Immediately flush eyes with water for at least 15 minutes. Hold eyelids open while flushing the eyes. Get medical attention.

INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.

INGESTION: If swallowed, dilute with water and get medical attention. Never give anything by mouth to an unconscious or convulsing person.

SKIN CONTACT: Wash with soap and water. Change contaminated clothing. Get medical attention if irritation develops or persists.

AGGRAVATED MEDICAL CONDITIONS: Pre-existing skin or respiratory conditions. Repeated overexposure may cause kidney and liver exposure.

SUPPLEMENTAL HEALTH INFORMATION: The effects of long-term, low-level exposure to this product have not been determined. Safe handling of this material on a long-term basis should emphasize the avoidance of all effects from repetitive acute exposures.

5. FIRE FIGHTING MEASURES:

EXTINGUISHING MEDIA: Water fog, dry chemical foam or carbon dioxide. Use extinguishing media appropriate for surrounding fire.

SPECIAL FIRE FIGHTING PROCEDURES: Wear full protective clothing and a NIOSH-approved self-contained breathing apparatus with full face piece operated in a pressure positive mode.

UNUSUAL FIRE AND EXPLOSION HAZARDS: None known.

COMBUSTION PRODUCTS: N/A

6. ACCIDENTAL RELEASE MEASURES:

STEPS TO BE TAKEN IN CASE MATERIAL IS SPILLED OR RELEASED: Small spills: Mop up, wipe up or soak up immediately. Remove to out of doors. Large spills: Evacuate area. Contain liquid; transfer to closed poly containers. Keep out of water supply.

7. HANDLING AND STORAGE:

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Protect from freezing. Follow all SDS/label precautions even after container is emptied because it may retain product residues.

OTHER PRECAUTIONS: For industrial use only. Keep away from children. Keep containers closed while not in use.

8. EXPOSURE CONTROL/PERSONAL PROTECTION:

EXPOSURE GUIDELINES:

Chemical Name	OSHA PEL	ACGIH TLV	ACGIH STEL
SODIUM HYDROXIDE	2mg/m ³	2 mg/M ³	
2-BUTOXY ETHANOL	50ppm(240mg/M ³)(SKIN)	25ppm(121 mg/M ³)(SKIN)	
ETHANOLAMINE	3ppm (6mg/M ³)	3ppm (7.5 mg/M ³)	6 ppm (15mg/M ³)

PERSONAL PROTECTIVE EQUIPMENT

RESPIRATORY PROTECTION: Wear a NIOSH/MSHA approved respirator appropriate for vapor concentration at point of use.

PROTECTIVE GLOVES: Rubber or other impervious material with gauntlets.

VENTILATION: Local exhaust sufficient to keep exposure below TLV.

WORK / HYGENIC PRACTICES: Use good personal hygiene when handling this product. Wash hands after use, before smoking, or using the toilet.

ENGINEERING CONTROLS: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

EYE PROTECTION: Safety glasses with side shields (or goggles).

OTHER PROTECTIVE EQUIP: Boots, apron, lab coat or coveralls of impervious material, safety shower, eyewash.

9. PHYSICAL AND CHEMICAL PROPERTIES:

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES:

a) Appearance: Clear Blue Liquid	k) Vapor pressure: No data available.
B) Odor: Glycol ether odor	l) Vapor density: No data available.
d) pH: 11 +/- 0.5	m) Relative density (Specific Gravity): 1.04
e) Melting point/freezing point: No data available.	n) Water solubility: Complete
f) Initial boiling point and boiling range: 198 deg F	p) Auto-ignition temperature: Not applicable
g) Flash point: Not applicable Method Used: Not applicable	r) Viscosity: No data available.
h) Evaporation rate: No data available.	-) Pounds Per Gallon: 8.6
j) Upper/lower flammability or explosive limits: Not applicable	OTHER: No other data is available for this product. . . .

10. STABILITY AND REACTIVITY:

STABLE: Stable

INCOMPATIBILITY: Strong acidic and strong oxidizing compounds

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: Oxides of carbon.

HAZARDOUS POLYMERIZATION: Will Not Occur
CONDITIONS TO AVOID: None Known

- 11. TOXICOLOGICAL INFORMATION:** None of the components of this product are listed as carcinogens. No other data available.
- 12. ECOLOGICAL INFORMATION:** No data available
- 13. DISPOSAL CONSIDERATIONS:** Dispose of container, product or waste in accordance with Local, State and, Federal regulations.
- 14. TRANSPORT INFORMATION:**

Regulation	UN No.	Proper Shipping Name	Transport Hazard Class	Packing Group
US DOT	n/a	Non-Regulated Material, Liquid	n/a	n/a
ERG No.:	154			

- 15. REGULATORY INFORMATION:** No data available.

16. OTHER INFORMATION:

HMIS INFORMATION: **HEALTH:** 2 **FLAMMABILITY:** 0 **PHYSICAL HAZARD:** 0 **PROTECTIVE:** B
NFPA INFORMATION: **TOXICITY:** 2 **FIRE:** 0 **REACTIVITY:** 0 **SPECIAL:** C

Burke Industrial Coatings., expressly disclaims all express or implied warranties of merchantability and fitness for a particular purpose, with respect to the product or information provided herein. All information appearing herein is based upon data obtained from the manufacturer and/or recognized technical sources. While the information is believed to be accurate, Burke Industrial Coatings., Inc. makes no representations as to its accuracy or sufficiency. Conditions of use are beyond Burke Industrial Coatings., control and therefore users are responsible to verify this data under their particular purposes and they assume all risks of their use, handling, and disposal of the product, or from the publication of use of, or reliance upon, information contained herein. This information relates only to the product designated herein, and does not relate to its use in combination with any other material or in any other process. Burke Industrial Coatings expressly disclaims all express or implied warranties of merchantability and fitness for a particular purpose, with respect to the product or information provided herein. All information appearing herein is based upon data obtained from the manufacturer and/or recognized technical source.