

# SAFETY DATA SHEET

Page: 1 of 5  
Process Time: 7:15 am

Date Revised: 6/13/18

Date Printed: 1/4/19

## SECTION 1 - IDENTIFICATION

PRODUCT NAME: SILVER BULLET AM STAINLESS  
PRODUCT CODE: BIC-10-820AM  
RECOMMENDED USE: PAINT OR PAINT RELATED MATERIAL

MANUFACTURER: BURKE INDUSTRIAL COATINGS  
ADDRESS : 11400 WEST 47TH STREET  
MINNETONKA, MN 55343 USA  
TELEPHONE: 952-938-7223 E-mail: safety@fenixspc.com  
24 HOUR EMERGENCY PHONE: CHEMTREC 1-800-424-9300

## SECTION 2 - HAZARDS IDENTIFICATION

### HAZARD RISK CLASSIFICATION

SIGNAL WORD: WARNING

### PICTOGRAM:

GHS07 - EXCLAMATION MARK

### HAZARD CLASS

### HAZARD CATEGORY

Not Classified SKIN CORROSION /IRRITATION CATEGORY 2

SERIOUS EYE DAMAGE / EYE IRRITATION CATEGORY 2 AND 2A

SKIN SENSITIZER CATEGORY 1

TOXIC TO SPECIFIC TARGET ORGAN CATEGORY 3

TOXICITY - SINGLE EXPOSURE

### HAZARD STATEMENTS:

H303 May be harmful if swallowed  
H315 Causes skin irritation  
H317 May cause allergic skin reaction  
H319 Causes serious eye irritation.  
H335 May cause respiratory irritation  
# Chemical(s) which may be considered a cancer hazard by IARC and/or NTP.  
Refer to section 11 for further information.

### PRECAUTIONARY STATEMENTS:

#### PREVENTION:

P264 Wash hands and any exposed area thoroughly after handling.  
P273 Avoid release to the environment.  
P281 Use appropriate personal protective impervious gloves/protective clothing/ OSHA approved eye protection/ face protection.

#### RESPONSE:

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P332+P313 If skin irritation occurs: Get medical advice/attention.  
P337+P313 If eye irritation persists: Get medical advice/attention.  
P362 Take off contaminated clothing and wash before reuse.  
P370+P378 In case of fire: Use carbon dioxide (CO2), powder, alcohol-resistant foam to extinguish.

#### STORAGE:

P403+P235 Store in a well-ventilated place. Keep cool.

#### DISPOSAL:

**SAFETY DATA SHEET**

Date Revised: 6/13/18

Date Printed: 1/4/19

**OTHER HAZARDS: NONE KNOWN**

**HMIS RATING:     H     F     R     PPE**  
                  2     1     1     B

===== **SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS** =====

COMPONENT	CAS NUMBER	WEIGHT		EXPOSURE LIMITS		
		PERCENT	OSHA PEL	ACGIH TLV	OTHER	
DISPERSION		35-45				
FORMALDEHYDE, POLYMER WITH (CHLOROMETHYL)OXIRANE AND 4,4'-(1-METHYLETH)28906-96-910-15						
4,4'-ISOPROPYLIDENEDIPHENOL-EPICHLOROHYDRIN COPOLYMER25068-38-610-15						
Dipropylene Glycol N-Butyl Ether	29911-28-2	5.0-7.5				
					NOT ESTABLISHED	
Propylen Glycol Phenol Ether	770-35-4	2.5-5.0				
					NOT ESTABLISHED	
+* Chromium (CR) Alloy	7440-47-3	1.7				
				1 MG/M3		0.5 MG./M3
#+^ Nickel Flake	7440-02-0	1.09				
				UNKNOWN		1 MG./M3
COBALT	7440-48-4					

\* Chemical(s) that are chronic health hazards. Refer to section 3 for further information.  
 + Toxic chemical(s) subject to the reporting requirements of section 313 of Title III and of 40 CFR 372.  
 ^ Hazardous Air Pollutant established by the EPA as directed by the Clean Air Act of 1990.

===== **SECTION 4 - FIRST AID MEASURES** =====

**PRIMARY ROUTES OF EXPOSURE:**  
Skin contact.

**DESCRIPTION OF FIRST AID MEASURES:**  
**EYES:** Flush with large amounts of water for 15 minutes, lifting upper and lower eyelids. If irritation persists seek medical attention.  
**SKIN CONTACT:** Wash contaminated area with soap and water. Remove and launder contaminated clothing.  
**INGESTION:** If a large amount is ingested, give water or milk and induce vomiting. Seek medical attention.  
**INHALATION:** Remove victim to fresh air and provide oxygen if breathing is difficult. If breathing has stopped administer artificial respiration. Seek medical attention if condition persists.

**MOST IMPORTANT SYMPTOMS/EFFECTS, ACUTE AND DELAYED:**  
**EYES:** Direct contact with eyes may cause irritation.  
**SKIN:** Prolonged or repeated contact may cause irritation.  
**INHALATION:** Inhalation of vapor or mist can cause irritation of nose, throat and lungs and lead to headaches and nausea.

**INGESTION:** Not an anticipated route of exposure. Small amounts are not expected to be harmful.

**CHRONIC HEALTH EFFECTS:**  
Although some components may indicate chronic exposure effects, no effects are anticipated under normal use conditions due to the relatively low proportion in the total mixture.

**MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:**  
No known effects on other illnesses.

**INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED:**  
Treat symptomatically.

===== **SECTION 5 - FIRE AND EXPLOSION HAZARD DATA** =====

**SUITABLE EXTINGUISHING MEDIA:**  
This material will not burn in its liquid state unless heated above its flash point. Dried films may burn and can be

# SAFETY DATA SHEET

Page: 3 of 5  
Process Time: 7:15 am

Date Revised: 6/13/18

Date Printed: 1/4/19

extinguished by water spray, foam, dry chemical or carbon dioxide.

## SPECIFIC HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE:

In the event of fire, harmful vapors including carbone monoxide, carbond dioxide, and others may be released. There is the possibility of pressure buildup in closed containers when heated. Water spray may be used to cool these containers.

## SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE-FIGHTERS:

Persons exposed to products of combustion should wear self-contained breathing apparatus and full protective equipment. Isolate danger area, keep unauthorized personnel out.

## SECTION 6 - ACCIDENTAL RELEASE MEASURES

**PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:** Evacuate area and keep unnecessary and unprotected personell from entering the spill area. Use proper personal protective equipment listed in section 8.

**ENVIRONMENTAL PRECAUTIONS:** Keep runoff from storm sewars, ditches, streams, lakes and other ground waters and waterways. May be toxic to aquatic life.

## METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN UP:

Contain all spills. Absorb with oil-dri or similar inert material. Sweep or scrape up and containerize. Collect into suitable contaners and dispose of properly in accordance with all applicable regulations. (See Section 13) Rinse affected area thoroughly with water.

## SECTION 7 - HANDLING AND STORAGE

### PRECAUTIONS FOR SAFE HANDLING:

Employees who come in contact with this material must be trained in accordance to 1910.1200 of the Hazard Communicatin Standard. Wear chemical resistant gloves and protective clothing to minimize contact. The use of respiratory protection is advised when spraying because of mist and dust overspray.

### PRECAUTIONS FOR SAFE STORAGE:

Keep containers tightly closed. Use and store material in cool, dry, well-ventilated areas away from heat, direct sunlight, hot metal surfaces, and all sources of ignition. Post "No smoking or open flame" sign. Store only in approved containers. Keep away from incompatible materials (see section 10). Protect containers against physical damage. Indoor storage should meet OSHA standards and appropriate fire codes.

### OTHER PRECAUTIONS:

All empty containers should be disposed of in an environmentally safe manner in accordance with all governmental regulations.

## SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

**CONTROL PARAMETERS:** SEE SECTION 3 FOR OCCUPATIONAL EXPOSURE LIMIT VALUES

**ENGINEERING CONTROLS:** General room ventilation is adequate.

### PERSONAL PROTECTIVE EQUIPMENT:

#### RESPIRATORY PROTECTION:

No special requirements under normal use conditions. In confined areas, or areas with poor ventilation, engineering controls should be used to minimize exposure. Use NIOSH/MSHA approved respirator if conditions warrant.

#### PROTECTIVE GLOVES:

Prevent prolonged or repeated contact by wearing chemical resistant gloves and other appropriate protective clothing. Launder contaminated clothing before reuse.

#### EYE PROTECTION:

Wear safety glasses to reduce eye contact potential. Chemical safety goggles (ANSI Z87.1 or approved equivalent) are appropriate if splashing is likely. Eye washes must be available where eye contact can occur.

#### OTHER PROTECTIVE CLOTHING OR EQUIPMENT:

A source of clean water should be available for flushing eyes and skin. Showers should be available if larger spills are possible.

### WORK/HYGIENIC PRACTICES:

# SAFETY DATA SHEET

Page: 4 of 5  
Process Time: 7:15 am

Date Revised: 6/13/18

Date Printed: 1/4/19

Efforts should be made to minimize contact and spills. Always wash hands before eating, drinking, or smoking. Clean up spills promptly. Follow OSHA and company guidelines.

## SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE/PHYSICAL STATE: Liquid	COLOR: Various colors
ODOR: Amine or ammonia odor	pH: Not Determined
ODOR THRESHOLD: Not measured	SOLUBILITY IN WATER: Dilutable
MELTING/FREEZING POINT: Not Determined	BOILING POINT/RANGE:
SPECIFIC GRAVITY (H2O=1): 1.16	VAPOR DENSITY: Greater Than Air
EVAPORATION RATE: Not Determined	FLAMMABILITY: Not determined
FLASH POINT: Greater than 200 F	VAPOR PRESSURE: Not Determined
UPPER EXPLOSION LIMIT: 9.4	AUTO-IGNITION TEMPERATURE: Not Determined
LOWER EXPLOSION LIMIT: 0	PARTITION COEFFICIENT: Not Available
DECOMPOSITION TEMPERATURE: Not Available	VISCOSITY: Not Determined
COATING V.O.C.: 298 g/l (2.48 lb/gl)	

## SECTION 10 - STABILITY AND REACTIVITY DATA

REACTIVITY: Will not occur.

CHEMICAL STABILITY:  
Stable under normal conditions and handling.

POSSIBILITY OF HAZARDOUS REACTIONS:  
No hazardous reactions if stored and handled as prescribed/indicated.

CONDITIONS TO AVOID:  
None known

INCOMPATIBLE MATERIALS:  
None known. Materials which are not compatible with water or ordinary organics will not be compatible with this material.

HAZARDOUS DECOMPOSITION OR BYPRODUCTS:  
Combustion may liberate toxic byproducts such as carbon dioxide, and carbon monoxide, various oxides of carbon and nitrogen. Thermal decomposition may liberate acrylic monomers and ammonia.

## SECTION 11 - TOXICOLOGICAL INFORMATION

SENSITIZATION:  
None known.

CARCINOGENICITY:  
The indicated chemical(s) is listed by ICGIH, NTP, or OSHA as a known human carcinogen (See section 2).

REPRODUCTIVE TOXICITY:  
There is no data available to indicate any components present at greater than 0.1% may present reproductive toxicity.

TERATOGENICITY (BIRTH DEFECTS):  
There is no data available to indicate any components present at greater than 0.1% may cause birth defects.

MUTAGENICITY:  
There is no data to indicate that any component present at greater than 0.1% will alter DNA.

## SECTION 12 - ECOLOGICAL INFORMATION

ECOTOXICITY:  
No data available.

PERSISTENCE AND DEGRADABILITY:  
Not readily degradable.

BIOACCUMULATIVE POTENTIAL:  
No data available.

MOBILITY IN SOIL:  
No data available.

OTHER ADVERSE EFFECTS: No known effects or critical hazards. No data available.

## SECTION 13 - DISPOSAL CONSIDERATIONS

This product does not meet the definition of hazardous waste under the U.S. EPA Hazardous Waste Regulations 40 CFR 261, however, state and local regulations may be more restrictive. Coagulate the emulsion by the stepwise addition of ferric

# SAFETY DATA SHEET

Page: 5 of 5  
Process Time: 7:15 am

Date Revised: 6/13/18

Date Printed: 1/4/19

chloride and lime. Remove the clear supernatant and flush to a chemical sewer. Incinerate liquid and contaminated solids in accordance with local, state, and federal regulations.

## ===== SECTION 14 - TRANSPORT INFORMATION =====

PROPER SHIPPING NAME: (UN #, SHIPPING NAME, HAZARD CLASS, PACKING GROUP)

Not regulated.

## ===== SECTION 15 - REGULATORY INFORMATION =====

### US TOXIC SUBSTANCE CONTROL ACT (TSCA):

All ingredients of this product are listed, or are excluded from listing, on the US Toxic Substances Control Act (TSCA) chemical substance inventory.

SARA 302 EXTREMELY HAZARDOUS SUBSTANCE: None

SARA 311/312 HAZARDOUS CHEMICAL: See Section 3

### SARA 313 (TRI REPORTING):

This product does contain a chemical(s) subject to the reporting requirements of SARA Title III, Section 313 (40CFR 372). See section 3.

STATE LISTED COMPONENTS	CAS NUMBER	STATE CODE
-------------------------	------------	------------

### CALIFORNIA PROPOSITION 65

This product contains a chemical(s) known to the state of California to cause cancer, birth defects or reproductive harm, which are subject to the requirements of California Proposition 65.

Cobalt metal powder	CAS #7440-48-4	Cancer
---------------------	----------------	--------

## ===== SECTION 16 - OTHER INFORMATION =====

REVISION DATE: 06/13/18

This version replaces all previous versions. The information contained in this SDS and any recommendations, technical or otherwise, are presented in good faith and believed to be correct as of the date prepared. Although certain hazards are described herein, The Sierra Company, LLC, cannot guarantee that these are the only hazards that exist. Recipients of this information and recommendations must make their own determination as to its suitability for their purposes. In no event shall The Sierra Company, LLC, assume liability for damages or losses of any kind or nature that result from the use of or reliance upon this information and recommendations. The Sierra Company, LLC, expressly disclaims any representations and warranties of any kind, whether express or implied, as to the accuracy, completeness, non-infringement, merchantability and/or fitness for a particular purpose with respect to any information and recommendations provided. The Sierra Company, LLC, reserves the right to make any changes to the information and/or recommendations at any time, without prior subsequent notice.